



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of: )  
YUTAKA HASEGAWA ET AL. ) **Notice of Allowance Dated: 2/25/04**  
Application No.: 09/472,150 ) Group Art Unit: 1764  
Filed: December 27, 1999 ) Examiner: J. Leung  
For: HIGH-PRESSURE )  
TREATMENT APPARATUS, )  
FEEDING METHOD THERETO )  
AND PROTECTION METHOD )  
THEREOF )

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Sir:

**SUBMISSION OF REPLACEMENT DRAWING**

Subject to the approval of the Examiner, please replace the drawing of Figure 14 in the above-identified application with the replacement sheet of drawing of Figure 14 filed herewith. If the replacement drawing for any reason is not in full compliance with the pertinent statutes and regulations, please so advise the undersigned.

If any fees are necessary for the submission of these formal drawings, please charge our Deposit Account No. 06-0916.

Respectfully submitted,

FINNEGAN, HENDERSON, FARABOW,  
GARRETT & DUNNER, L.L.P.

Dated: \_\_\_\_\_

4/21/04

By: \_\_\_\_\_

Richard V. Burgujian  
Reg. No. 31,744